



Extrusion: 23330/23330
Description: Meeting Stiles



Centres	Spans for each wind zone				
	Low	Medium	High	Very High	Extra High
500	3000	3000	2857	2628	2467
600	3000	3000	2722	2505	2353
700	3000	2934	2613	2407	2262
800	3000	2831	2524	2327	2188
900	3000	2745	2450	2261	2128

Spans are the maximum calculated allowable, based on NZS4211:2008, which requires that the member deflection at serviceability wind pressure (SWP) shall not exceed 1/200 of the span. Hardware and componentry may further restrict the spans. For advice we recommend you contact APL Technical Advisory Service