Electrical floor heating with Devimat™ www.devi.com





Enjoy the all year housewarming

Live in comfort



Feel the freedom - say goodbye to cold feet

Give your feet the ultimate treat and experience, the luxury of walking around barefooted anywhere in your house – without getting cold feet. Enjoy warm feet 365 days a year with electric floor heating from DEVI.

Luxury meeting your budget

Conventional heating systems produce uneven heat which tends to create a concentration of the highest temperatures right under the ceiling.

This means that most of the heat will not be enjoyed and ultimately you will pay for lost energy. DEVI floor heating – on the other hand – uses the law of nature and lets the heat rise evenly from the floor. The result is a delightful and comfortable heat with no draughts to spoil your homely comfort. You will feel

nice and warm around your feet, pleasantly warm around your body and cooler at head height. The best possible utilization of your heat energy.

DEVI electrical floor heating is a simple and cost-effective solution that lets your bare feet ignore the weather outside. No more cold floors, thick layers of woollen socks, space-consuming radiators – just let your feet enjoy the open indoor environment.



with DEVI floor heating



Making full use of energy

The Devimat™ heating mats are mounted immediately underneath the floor tiles, which ensures heat to be radiated across the whole surface. This gives you the ultimate comfort without wasting any energy at all.

Decades of experience

DEVI was founded in Denmark in 1942 and for decades DEVI has manufactured cables and thermostats for electrical floor heating. This experience, our dedication to innovation and our compliance with every current EU standards ensure that we are offering you only the best in quality and safety.

The Devimat™ full covering aluminium earth sheath makes the solution not only very strong, but also 100% safe to use in wet areas such as kitchens and bathrooms. In addition, the complete technical back-up and ten-year manufacturers warranty give you the most unique under-floor heating system on the market today.

Ultra-thin design makes life convenient

Devimat[™] cables are no more than 3 mm thick, which means that you can easily apply floor heating without having to dig up your entire floor. Simply lay the Devimat[™] onto your existing floor or sub-floor before finally laying your chosen floor covering on top of it all.

Devimat[™] only raises the floor by 8-10 mm, including your new tiles, so you won't have to go through the trouble of reconstructing the entire floor height nor replace your door.

The perfect choice for your well-being

High quality mats as well as our full range of powerful electronic temperature controls make DEVI floor heating the perfect choice when comfort means walking on a nice, warm floor.

Devimat[™] + Devireg[™] means full value

Devireg[™] thermostats are developed to make sure you have full control of your overall room temperature.

Integrated with Devimat[™] as one complete solution, Devireg[™] ensures that you have the most comfortable indoor environment you could ever dream of.









Integrate your Devimat™ with the advanced Devireg™ thermostats and get accurate control of both floor and room temperature

Fitting your new Devimat™ in 6 simple steps

Fitting Devimat™ is simple to do by yourself, should you choose to. However, please bear in mind that all electrical connections must always be carried out by a qualified

electrician. A step-by-step procedure is provided below to make it as easy as possible for you.

Start by measuring the area where you want your floor heating. This way you can determine which size of Devimat™ you need. Always select a Devimat[™] package that is slightly smaller than the floor area.



On reaching the end of the mat run, simply cut the mesh, turn the mat and lay the next piece next to the first one. The red heating cable must NOT be cut. The mat can withstand 3-5 adjustments as long as you do not press the mat to the floor. When you are happy with the result, press the mat to the floor. Devimat $^{\text{\tiny TM}}$ will now adhere firmly to the surface.



Then cut a 10 mm wide groove into the floor and wall for the floor sensor and tube. The tube allows for easy removal of the floor sensor, if required. Glue the tube housing the floor sensor into the channel and seal the end of the pipe with duct tape.



Cover with one layer of flexible tile adhesive/self-levelling compound and allow it to dry before tiling or lay the adhesive and tiles in one operation. A flexible adhesive and grout should always be used.



Before laying the self-adhesive mat, your existing floor should be clean and dry and primed if necessary. Once the mat has been tested, it can be rolled out and laid on the floor.





Mount the new tiles on the adhesive. Joint the tiles and let the floor dry for two weeks before turning on the heating.





10 years of warranty The Devimat™ comes with a comprehensive 10 years warranty, covering not only the product but also any possible successive





DEVI A/S Ulvehavevej 61 DK-7100 Vejle Tel: +45 7642 4700 Fax: +45 7642 4701 www.devi.com