

COMMERCIAL TRIMRIB ROOFING PARAPET SIDE APRON

DETAIL NO. CTRO05B
DATE DRAWN 28/03/12
FILE REFERENCE RI-CTRO05B.DWG

EX 50mm H3.1 TIMBER CAPPING SUPPORT ON DPC

SEPERATION BARRIER BETWEEN CONCRETE
& FLASHING (SELF ADHESIVE TAPE OR SIM)

R.I. 0.55mm PARAPET FLASHING

ROOFING INDUSTRIES
0.55mm APRON FLASHING
TO COVER 2 CRESTS

12 x 55mm STEEL TEK & NEO WITH
SELECTED WASHER SYSTEM

SCREW FIXING WITH 12x25
TYPE 17 TEK & NEO OR 4.8mm
ALUM RIVETS MIDSPAN
WHERE APPLICABLE (offset for clarity)

ROOFING INDUSTRIES
TRIMRIB

UNDERLAY LAID OVER
SAFETY NETTING

GAP 5mm MAX TO CLEAR
OF TROUGH OF ROOFING

10mm GAP IF
COMPLIANCE
WITH E2/AS1
REQUIRED

STEEL PURLIN

CONCRETE WALL

5° min

90min

FIX CAPPING TO CONCRETE WITH MASONRY
FASTENERS AT 600mm CRS


HEM TO
FLASHING
EDGE

NOTE:
(1) MINIMUM PITCH 3°

NOTES:

- These details are generally in compliance with the NZ Metal Roof & Wall Cladding Code of Practice and in some cases specific details by 'Roofing Industries'.
- The building designer is ultimately responsible to ensure that details used meet the requirements of the NZ Building Code for the specific project.
- Details of the supporting structure are indicative only and are the responsibility of the building designer.
- Thermal break or cavity battens may be required in some circumstances.
- Underlay selection and building wrap types are the responsibility of the designer. Alternative support to galvanised netting should be used in severe coastal environments including when aluminium is used.
- These details are for Roofing Industries profile/s as nominated and may not be applicable to other profiles.
- This drawing is the copyright of 'Roofing Industries' and can only be copied or reproduced with their permission.
- Further information can be obtained from the NZ Metal Roof & Wall Cladding Code of Practice www.metalroofer.org.nz & www.roof.co.nz
- Where necessary adjust drawings for purlin battens or cavity battens.
- Details are for steel based materials, other substrate may require some changes.

A PARAPET SIDE APRON
1:5



Bird's beak dimension
may vary between
manufacturing locations.

©COPYRIGHT DETAIL 2012

