




Euro Roof Roll Seam


Scale 1:2



© 2020 Metal Design Solutions Ltd. Use figured dimensions in preference to scale. All dimensions to be checked and verified on site




File: mds de	etails rvt	Scale:As indicated
Issue: 1.1 Date: September		
Reference		






File: mds_details.rvt		Scale: 1 : 2
Issue: 1.1	Date: September 2020	
Reference		






File: mds_de	etails.rvt	Scale: 1 : 2
Issue: 1.1	Date: September 2020	
Reference		





File: mds_details.rvt		Scale: 1 : 2
Issue: 1.1	Date: September 2020	
Reference		



200mm in situation 2: All roof pitches in Very High wind zones

Low, Medium and High wind zones where roof pitch ≤10°


200mm in situation 3: All roof pitches in Extra High wind zones

© 2020 Metal Design Solutions Ltd. Use figured dimensions in preference to scale. All dimensions to be checked and verified on site




File: mds_details.rvt		Scale: 1 : 2
Issue: 1.1	Date: September 2020	
Reference		

MDS R RSR 003b





File: mds_de	etails.rvt	Scale: 1 : 2
Issue: 1.1	Date: September 2020	
Reference		



Aprons Typical (X mm):

130mm in situation 1: Low, Medium and High wind zones where roof pitch ≥10°

200mm in situation 2: All roof pitches in Very High wind zones

Low, Medium and High wind zones where roof pitch ≤10°

200mm in situation 3: All roof pitches in Extra High wind zones

Barge Typical (Z mm): excluding drip edge:

50mm in situation 1: Low, Medium and High wind zones where roof pitch ≥10°


70mm in situation 2: All roof pitches in Very High wind zones

Low, Medium and High wind zones where roof pitch ≤10°

90mm in situation 3: All roof pitches in Extra High wind zones



File: mds_details.rvt		Scale: 1 : 2
Issue: 1.1	Date: September 2020	
Reference		



Aprons Typical (X mm):

130mm in situation 1: Low, Medium and High wind zones where roof pitch ≥10°

200mm in situation 2: All roof pitches in Very High wind zones


Low, Medium and High wind zones where roof pitch ≤10°

200mm in situation 3: All roof pitches in Extra High wind zones

© 2020 Metal Design Solutions Ltd. Use figured dimensions in preference to scale. All dimensions to be checked and verified on site




File: mds_details.rvt		Scale: 1 : 2
Issue: 1.1	Date: September 2020	
Reference		
















Barge Typical (Z mm): excluding drip edge:

50mm in situation 1: Low, Medium and High wind zones where roof pitch ≥10°

70mm in situation 2: All roof pitches in Very High wind zones


Low, Medium and High wind zones where roof pitch ≤10°

90mm in situation 3: All roof pitches in Extra High wind zones

© 2020 Metal Design Solutions Ltd. Use figured dimensions in preference to scale. All dimensions to be checked and verified on situ




File: mds_details.rvt		Scale: 1 : 2
Issue: 1.1	Date: September 2020	
Reference		





File: mds_de	etails.rvt	Scale: 1:2
Issue: 1.1	Date: September 2020	
Reference		



Aprons Typical (X mm):

130mm in situation 1: Low, Medium and High wind zones where roof pitch ≥10°

200mm in situation 2: All roof pitches in Very High wind zones


Low, Medium and High wind zones where roof pitch ≤10°

200mm in situation 3: All roof pitches in Extra High wind zones

© 2020 Metal Design Solutions Ltd. Use figured dimensions in preference to scale. All dimensions to be checked and verified on site




File: mds_de	etails.rvt	Scale: 1 : 5
Issue: 1.1	Date: September 2020	
Reference		






File: mds_de	etails.rvt	Scale: 1 : 2
Issue: 1.1	Date: September 2020	
Reference		





File: mds_details.rvt		Scale: 1 : 10
Issue: 1.1	Date: September 2020	
Reference		





File: mds_details.rvt		Scale: 1 : 2	
Issue: 1.1	Date: September 2020		
Reference			