

||| SoundDown™



SOUND + FIRE RATED CASSETTE SYSTEMS

Looking for a simpler way to achieve a quiet home?

SoundDown™ is a collaboration of industry leading products to provide a fire and acoustic rated mid-floor system that's fast and simple to install.

With the market having been screaming for a solution that avoids the complications of additional flooring layers whilst still meeting building code requirements for fire and acoustics, SoundDown™ answered the call.

To overcome the challenges of complexity, time and cost in multi-layer solutions, SoundDown™ worked to develop a single layer flooring system that is as close to standard construction as possible. SoundDown™ Solo was the solution. It can even be manufactured in floor cassette modules.


Where performance is paramount, SoundDown™ Duo offers a 2-layer system that delivers additional peace to the buyer.



Acoustic Rated



Uncomplicated



Fast Construction



Fire Rated



Water Resistant



Squeak Free



Cost Effective




Non Hazardous

SoundDown™ Solo

SoundDown™ Solo is a simple to install, acoustic and fire rated system that ensures adequate sound attenuation between tenancies. Better still, its simplicity unlocks the viability of affordable housing projects whilst still achieving New Zealand building code.

KEY BENEFITS

- No need for a 2 layer floor system
- Can be partially constructed as a cassette
- Simple to install, reducing risk of poor installation
- Fully compatible with standard building methods
- Faster and more cost-effective than alternative systems
- Allows building to proceed without delay
- Solid and quiet when living both above and below
- Incorporates 60min fire-rated ceiling-only system, so the floor structure is excluded from the fire cell
- STC Rating: 65dB
- IIC Rating: 56dB (with Jacobsens Traffic 250 Vinyl)




SoundDown™ Duo

KEY BENEFITS

Our ultimate performing acoustic floor.

It has been designed and tested to achieve industry-leading performance in both airborne and impact noise, through a range of frequencies and floor coverings (including tiles).

- Exceeds building code for fire and sound
- Can be partially constructed as a cassette
- Fully compatible with standard lightweight building methods
- Unmatched sound attenuation
- STC Rating: 64dB
- IIC Rating: 62dB



CONTACT DETAILS

sales@sounddown.co.nz
09 373 4744