

QUICK LINKS FOR RESILIENT & TIMBER PRODUCTS

* Best opened as an online PDF document to access all the links



INDEX

Acoustics & Sound Reduction System	2
Mapesonic CR	2
Skim Coating, Rapid Repair & Levelling Compounds	2
Planiprep SC	2
Ultraplan Renovation	2
Mapecem Quickpatch	2
Planitop Smooth & Repair R4	2
Ultraplan Eco	2
Mapegrout T60	2
Mapefill MC 06	2
UC Leveller	3
Fiberplan	3
Mapecem	3
Mapecem Pronto	3
Planicrete	3
Nivorapid	3
Latex Plus	3
Primers for Concrete & Timber Substrates	3
Eco Prim T Plus	3
Eco Prim Grip	3
Moisture Barriers & Primers for Concrete Substrates	4
Mapeproof 1K Turbo	4
Mapeproof Primer	4
Planiseal MR	4
Resilient Adhesives	4
Ultrabond Eco V4 SP Fiber	4
Ultrabond Eco VS90 Plus	4
Ultrabond Eco Fix	4
Ultrabond Eco Tack	4
Ultrabond Eco V4 Evolution	4
Textile Adhesives	5
Ultrabond Turf PU 1K	5
Ultrabond Eco Fix	5
Ultrabond Eco Tack	5
Ultrabond Eco V4 Evolution	5
Timber Adhesives	5
Ultrabond Eco 995	5
Ultrabond S997 1K	5
Ultrabond Eco S955 1K	5
Product User Guide	6

Acoustics & Sound Reduction System



Mapesonic CR

Thin section soundproofing membrane to combat the noise of footsteps transmitted through floor slabs, applied before laying timber floors



Skim Coating, Rapid Repair & Levelling Compounds



Planiprep SC

A high-performance, polymer-modified, fibre-reinforced cement-based skim coating and patching compound.



Ultraplan Renovation

Fibre-reinforced levelling & smoothing compound suitable for application on multiple substrates applied 3 to 40mm thick.



Ultraplan Eco

Ultra-fast hardening self-levelling smoothing compound for interior levelling of new and existing substrates, to make them suitable for receiving all types of flooring where high resistance to loads and traffic is required. Levelling existing floors provided they are solid, dry and clean. Ultraplan Eco is applied up to 10 mm thick per layer by trowel or pump.



Mapecem Quickpatch

Versatile, fast-setting, cementitious material used for the patching of interior/exterior concrete surfaces. It features extraordinary ease of placement, with a variable water ratio and outstanding workability. Light gray Mapecem Quickpatch can be applied from featheredge to 3" (7,5 cm) for ramping or filling.



Planitop Smooth & Repair R4

Structural R4-class, rapid setting, shrinkage-compensated, thixotropic, fibre-reinforced, cementitious mortar, applied in a single layer from 3 to 40 mm thick, for repairing and smoothing concrete.



Mapegrout T60








Sulphate-resistant, fibre-reinforced shrinkage compensated thixotropic mortar for the repair of concrete.



Mapefill MC 06

Shrinkage compensated, super flow micro-concrete for grouting gaps with thicknesses ranging from 50mm to 250mm.



	<p>UC Leveller Fast hardening levelling smoothing compound for thicknesses from 3 mm to 70 mm: especially recommended for pumping.</p> <p>pdf TDS pdf SDS</p>		<p>Fiberplan Fibre-reinforced ultra-fast hardening self-levelling smoothing compound.</p> <p>pdf TDS pdf SDS</p>
	<p>Mapecem Special fast setting and drying (24 hours) hydraulic binder for shrinkage compensated screeds</p> <p>pdf TDS pdf SDS</p>		<p>Mapecem Pronto Pre-blended, ready-to-use, quick-setting and drying (24 hours), controlled-shrinkage mortar for screeds.</p> <p>pdf TDS pdf SDS</p>
	<p>Planicrete Synthetic-rubber latex for cementitious mixes (Mapecem additive and bonding slurry component)</p> <p>pdf TDS pdf SDS</p>		<p>Nivorapid Ultra-fast drying thixotropic cementitious levelling mortar, also suitable for vertical applications.</p> <p>pdf TDS pdf SDS</p>
	<p>Latex Plus Latex admixture for imparting elasticity to Nivorapid</p> <p>pdf TDS pdf SDS</p>		

Primers for Concrete & Timber Substrates

	<p>Eco Prim T Plus Solvent free, low odour acrylic primer in water dispersion with very low emission of volatile organic compounds (VOC).</p> <p>pdf TDS pdf SDS</p>		<p>Eco Prim Grip Plus Multi-purpose, ready-to-use bonding promoter primer for smoothing and levelling compounds</p> <p>pdf TDS pdf SDS</p>
---	--	--	--

Moisture Barriers & Primers for Concrete Substrates



Mapeproof 1K Turbo

One component, solvent free, moisture curing and rapid drying polyurethane surface membrane with very low emission of volatile organic compounds.



Mapeproof Primer

One component, rapid drying PVDC based dispersion primer for suppressing residual moisture up to 4.5CM-% (95% R.H)



Planiseal MR

Two component water based epoxy primer and moisture barrier suitable for green concrete and damp substrates.



Resilient Adhesives



Adesilex G19

Two-component, epoxy-polyurethane adhesive for resilient and textile flooring



Ultrabond Eco V4 SP Fiber

Multi-purpose, solvent-free, acrylic adhesive in water dispersion with extended open time, improved by adding fibres, particularly suitable for laying rubber and PVC flooring.



Ultrabond Eco VS90 Plus

Universal high temperature adhesive in water dispersion with very low emission level of volatile organic compounds for resilient floor coverings



Ultrabond Eco Fix

Adhesive in water dispersion which remains permanently tacky with very low emission level of volatile organic compounds (VOC), for carpet and vinyl flooring tiles.







Ultrabond Eco V4 Evolution




"All in one" universal adhesive with strong, rapid initial tack and long open time for resilient and textile floor and wall-coverings.



Textile Adhesives

	<p>Ultrabond Turf PU 1K</p> <p>One-component, epoxy-polyurethane adhesive with very low emission of volatile organic compounds (VOC) for bonding synthetic grass surfaces.</p> <p>pdf TDS pdf SDS</p>		<p>Ultrabond Eco V4 Evolution</p> <p>“All in one” universal adhesive with strong, rapid initial tack and long open time for resilient and textile floor and wallcoverings.</p> <p>pdf TDS pdf SDS</p>
	<p>Ultrabond Eco Fix</p> <p>Adhesive in water dispersion which remains permanently tacky with very low emission level of volatile organic compounds (VOC), for carpet and vinyl flooring tiles.</p> <p>pdf TDS pdf SDS</p>		<p>Ultrabond Eco Tack</p> <p>Acrylic tackifier dispersed in water with a very low emission level of volatile organic compounds (VOC), for carpet tiles.</p> <p>pdf TDS pdf SDS</p>

Timber Adhesives & Sealant

	<p>Ultrabond Eco 995</p> <p>Premium Moisture-Control, Wood-Flooring Adhesive</p> <p>pdf TDS pdf SDS</p>		<p>Ultrabond S997 1K</p> <p>One-component, solvent-free, silitated polymer adhesive with very low emission level of volatile organic compounds, for all types of parquet and prefinished engineered timber flooring.</p> <p>pdf TDS pdf SDS</p>
	<p>Ultrabond Eco S955 1K</p> <p>For the installation of engineered timber flooring</p> <p>pdf TDS pdf SDS</p>		

MAPEI PRODUCT SELECTION GUIDE

MOISTURE BARRIERS						
	Concrete Substrates	Moisture Barrier to 95% R/H	Internal	External	Moisture Barrier to 100% R/H	Rising Damp
Mapeproof 1k Turbo	✓	✓	✓			
Mapeproof Primer	✓	✓	✓			
Planiseal MR	✓	✓	✓	✓	✓	✓

PRIMERS						
	Concrete Substrates	Timber Substrates	Internal	External	Non Porus Substrates	Priming over Planiseal MR & Mapeproof 1K Turbo
Eco Prim T Plus	✓		✓		✓	✓
Eco Prim Grip	✓	✓	✓	✓	✓	

SUBSTRATE PREPARATION									
	Concrete Substrates	Timber Substrates	Internal	External	Self Levelling	Bonded Screed	Un-bonded Screed	Skim Coat	Min/Max Thickness
Planprep SC	✓	✓	✓					✓	1-25mm
Nivorapid	✓								1-20mm
Nivorapid mixed 100% with Latex Plus		✓							1-20mm
Latex Plus (Additive for Nivorapid)	✓	✓	✓						1-20mm
Planitop Smooth & Repair R4	✓		✓	✓					3-40mm
Mapecem Quick Patch	✓		✓	✓					3-75mm
Ultraplan Eco	✓		✓		✓				1-10mm
UC Leveller	✓		✓		✓				3-70mm
Fiberplan	✓	✓			✓				3-10mm
Ultraplan Renovation	✓	✓	✓		✓				3-40mm
Mapecem	✓			✓		✓	✓		See data-sheet
Mapecem Pronto	✓		✓	✓		✓	✓		See data-sheet
Topcem	✓		✓	✓		✓	✓		See data-sheet

VINYL ADHESIVES								
	Commercial Sheet Vinyl	Commercial Vinyl Tiles	Domestic Sheet Vinyl	Wall Vinyl	LVT	Porus Substrates	Non Porus Substrates	Wet Areas
Ultrabond Eco V4 Evolution	✓	✓	✓	✓	✓	✓	✓	
Ultrabond Eco V990 Plus	✓	✓	✓		✓	✓		
Ultrabond Eco V45P Fiber	✓	✓	✓		✓	✓		
Ultrabond Eco Fix (PS)	✓				✓	✓	✓	
Adesilex G19	✓	✓	✓		✓	✓	✓	✓

TEXTILE ADHESIVES					
	Direct Stick	Carpet Tile (Pressure Sensitive)	Needle Punch	Underlay	Linoleum
Ultrabond Eco V4 Evolution	✓	✓		✓	✓
Ultrabond Eco Tack			✓	✓	
Ultrabond Eco Fix		✓	✓		

RUBBER ADHESIVES		
	Internal	External
Ultrabond Eco V4 Evolution	✓	
Ultrabond Eco V45P Fiber	✓	
Adesilex G19	✓	✓

TIMBER ADHESIVES						
	Concrete	Timber Substrates	Solid Timber	Engineered Timber	Moisture Barrier	Removable From Surfaces After curing
Ultrabond Eco 995	✓	✓	✓	✓	✓	
Ultrabond S997 1K	✓	✓		✓		✓
Ultrabond Eco S995 1K	✓	✓		✓		✓

 PRODUCTS FOR CERAMICS AND STONE MATERIAL

 PRODUCTS FOR RESILIENT, LVT, TEXTILE MATERIALS & SPORTS FLOORING

 PRODUCTS FOR WOODEN FLOORING

 PRODUCTS FOR CEMENTITIOUS AND RESIN FLOORING

 PRODUCTS FOR ACOUSTIC INSULATION

 PRODUCTS FOR BUILDING

 ADMIXTURES FOR CONCRETE, ARCHITECTURAL STONE PAVING & ARCHITECTURAL EXPOSED AGGREGATE CONCRETE SURFACES

 PRODUCTS FOR STRUCTURAL STRENGTHENING

 PRODUCTS FOR MASONRY RESTORATION

 PRODUCTS FOR THERMAL INSULATION

 WALL PROTECTIVE AND DECORATIVE COATINGS

 PRODUCTS FOR WATERPROOFING

 PRODUCTS FOR UNDERGROUND CONSTRUCTIONS UTT


 ELASTIC SEALANTS AND ADHESIVES

 PRODUCTS FOR THE MARINE INDUSTRY

 CEMENT ADDITIVES C-ADD

MBP (NZ) Ltd
88 Carbine Road
Mt Wellington Auckland 1061
Ph: 09 9211994
E: enquiries@MBPLtd.co.nz
www.MBPLtd.co.nz

Get The New MAPEI APP



Scan this QR code to
download the app