



H-CLAD



H-CLAD

VERTICAL & HORIZONTAL

ALL PROFILES




Profile Size	NZ Lawson Cypress TIGHT KNOT	NZ Larch TIGHT KNOT	NZ Macrocarpa TIGHT KNOT	Radiata H3.1 PREMIUM	Radiata H3.2 PREMIUM
ex 75 x 25	✓	✓	✓	✓	✓
ex 100 x 25	✓	✓	✓	✓	✓
ex 150 x 25	✓	✓	✓	✓	✓
ex 200 x 25	✓	✓	✓	✓	✓

**Ask us about LINECOAT, our onsite Pre-Coating in Dryden WoodOil or Resene Wood-X*

BUILDING CODE COMPLIANCE FOR EXTERIOR CLADDING				
NZ Lawson Cypress, NZ Larch & NZ Macrocarpa				
NZS 3602:2003; Table 2:2A1				
Heart Dressing Grade comprises of Heartwood with sound tight knots.				


H-CLAD TECHNICAL GUIDES

Available on our website at www.htl.nz




H-CLAD

HORIZONTAL RUSTICATED SHIPLAP WEATHERBOARDS











HORIZONTAL BEVELBACK SHIPLAP WEATHERBOARDS








H-CLAD

VERTICAL SHIPLAP WEATHERBOARDS



VERTICAL BOARD & BATTEN CLADDING
















HORIZONTAL WEATHERBOARDS





Exterior Cladding

VERTICAL WEATHERBOARDS





Exterior Mouldings



H-CLAD Timber Species



NZ LARCH



GRADE:	Dressing Heart Grade (NZS 3602:2003, Table 2:2A.1-Grade), which comprises of Heartwood with sound tight knot (STK). Any loose or bark encases knots or natural timber defects should be removed during installation. All grades may require some docking.
SIZES:	Ex 150x25, 200x25
LENGTHS:	1.8—6.0; heavy 3.6-4.8
BUILDING CODE COMPLIANCE:	NZS 3602:2003, Table 2:2A.1 Species

NZ LAWSON CYPRESS



GRADE:	Dressing Heart Grade (NZS 3602:2003, Table 2:2A.1-Grade), which comprises of Heartwood with sound tight knot (STK). Any loose or bark encases knots or natural timber defects should be removed during installation. All grades may require some docking.
SIZES:	Ex 150x25, 200x25
LENGTHS:	1.8—6.0; heavy 3.6-4.8
BUILDING CODE COMPLIANCE:	NZS 3602:2003, Table 2:2A.1 Species

NZ MACROCARPA



GRADE:	Dressing Heart Grade (NZS 3602:2003, Table 2:2A.1-Grade), which comprises of Heartwood with sound tight knot (STK). Any loose or bark encases knots or natural timber defects should be removed during installation. All grades may require some docking.
SIZES:	Ex 150x25, 200x25
LENGTHS:	1.8—5.4; heavy 2.7-4.8
BUILDING CODE COMPLIANCE:	NZS 3602:2003, Table 2:2A.1 Species

H-CLAD Timber Species



SIBERIAN LARCH



GRADE:	Dressing Heart Grade (NZS 3602:2003, Table 2:2A.1-Grade), which comprises of Heartwood with sound tight knot (STK). Any loose or bark encases knots or natural timber defects should be removed during installation. All grades may require some docking.
SIZES:	Ex 150x25, 200x25, 150x32, 200x32, 150x40, 200x40
LENGTHS:	2.4—6.0, heavy 3.6-4.8 in multiples of 300mm
BUILDING CODE COMPLIANCE:	NZS 3602:2003, Table 2:2A.1 Species

RADIATA PINE H3.1 CLEAR LOSP




GRADE:	Premium Grade Dressing Grade (NZS 3602:2003, Table 2:2A.1-Grade), Any loose or bark encases knots or natural timber defects should be removed during installation. All grades may require some docking.
SIZES:	Ex 150x25, 200x25
LENGTHS:	1.8—6.0 , in multiples of 300mm, heavy 3.9-4.8
BUILDING CODE COMPLIANCE:	NZS 3602:2003, Table 2:2A.1 Species

RADIATA PINE H3.2




GRADE:	Premium Grade Dressing Grade (NZS 3602:2003, Table 2:2A.1-Grade), Any loose or bark encases knots or natural timber defects should be removed during installation. All grades may require some docking.
SIZES:	Ex 150x25, 200x25
LENGTHS:	1.8—6.0 , in multiples of 300mm, heavy 3.9-4.8
BUILDING CODE COMPLIANCE:	NZS 3602:2003, Table 2:2A.1 Species

Dryden Woodoil



CLEAR



LITE OAK




DUSK



GOLDLEAF



BIRCH



ELM




COPPER




OROPO



AUTUMN



REDWOOD



WALNUT



DUNE



Dryden Woodoil



PLATINUM



SLATE



STONE



STORM



BARQUE



KARAKA



BLACK-X



MIDNIGHT



DARK



AVAILABLE IN 1L, 4L, 10L & 20L