# millboard Live. Life. Outside.

# **MILLBOARD ENHANCED GRAIN DECKING**

Enhanced Grain plank by Millboard.

32mm thick, 176mm wide, 3600 length. No specialist tools required, Millboard can be cut and installed in the same way as traditional timber.

# Limed Oak Ashwood\* Golden Oak Coppered Oak Antique Oak Smoked Oak

Brushed Basalt



Burnt Cedar

### **PRODUCT DETAILS**

Collection	Millboard Enhanced Grain
Product Type	Engineered Board
Availability	Stocked, *Custom
Total Thickness	32mm
Width	176mm
Length	3600mm
Core Composition	Blend of natural minerals bonded
	in a polymer resin, with long fibre
	reinforcement
Surface composition	Resilient Lastane® layer chemically
	melded to the core, with a UV
	stable 2K coating
Surface Texture	Authentic brushed Oak texture
	(moulded from genuine Oak)
Appearance	Prime Grade Oak
Surface	Lastane®
Status	Pre-finished

### **INSTALLATION**

Installation Method	Durafix hidden screw system (no pre- drilling or countersinking required)
Suitable Substrates	H3.2 treated castellated cavity
	battens
Joint Profile	Tongue and Groove
Suitable Uses	Residential and some commercial
	exterior cladding, soffit, interior
	features

# **TECHNICAL SPECIFICATIONS**

**Reaction to Fire** (Flooring) **Reaction to Fire** (Walls & Ceilings) Formaldehyde Emission E1 AS/NZS 2098.11

Group 1-S - Critical Flux 8.6kW/m<sup>2</sup> (Compliant) Not Rated

# STRUCTURAL WARRANTY

### 5 Year Commercial 25 Year Residential

For terms and conditions see www.forte.co.nz/warranties

# **PACK INFORMATION**

Weight per board

11.4kg

### **SUSTAINABILITY**



RESIDENTIAL AND COMMERCIAL CARE AND MAINTENANCE

Forté's Product Specialists have collated our care and maintenance recommendations to ensure your flooring looks like new for years to come. Residential and Commercial projects require different levels of care and maintenance. Visit www.forte.co.nz/ careandmaintenance

# **Structural Warranty**

MILLBOARD ENHANCED GRAIN 25 YEAR RESIDENTIAL STRUCTURAL WARRANTY

The Enhanced Grain Collection comes with a full 25 year Residential Structural Warranty. For full warranty terms and conditions, please visit <u>www.forte.co.nz/warranties</u>

MILLBOARD ENHANCED GRAIN 5 YEAR COMMERCIAL STRUCTURAL WARRANTY

The Enhanced Grain Collection comes with a full 5 year Commercial Structural Warranty. For full warranty terms and conditions, please visit <u>www.forte.co.nz/warranties</u>

# Installation

MILLBOARD ENHANCED GRAIN COLLECTION MUST BE INSTALLED BY A TRAINED PROFESSIONAL

Please ensure that you have read and understood the Installation guidelines before proceeding to install Millboard Enhanced Grain Decking. If you have any questions or concerns, please call the Forté technical team on 0508 35 66 77. Failure to adhere to the Forté Installation Guidelines may void your warranty.



# millboard Live. Life. Outside.

# MILLBOARD ENHANCED GRAIN DECKING SB

Enhanced Grain SB plank by Millboard.

32mm thick, 126mm wide, 3600 length. No specialist tools required, Millboard can be cut and installed in the same way as traditional timber.

# Limed Oak Ashwood\* Golden Oak Coppered Oak Image: Antique Oak Image: Antique Oak Image: Antique Oak Image: Antique Oak



# **PRODUCT DETAILS**

Collection	Millboard Enhanced Grain
Product Type	Engineered Board
Availability	Stocked, *Custom
Total Thickness	32mm
Width	126mm
Length	3600mm
Core Composition	Blend of natural minerals bonded
	in a polymer resin, with long fibre
	reinforcement
Surface composition	Resilient Lastane® layer chemically
	melded to the core, with a UV
	stable 2K coating
Surface Texture	Authentic brushed Oak texture
	(moulded from genuine Oak)
Appearance	Prime Grade Oak
Surface	Lastane®
Status	Pre-finished

### INSTALLATION

Installation Method	Durafix hidden screw system (no pre- drilling or countersinking required)
Suitable Substrates	H3.2 treated castellated cavity
	battens
Joint Profile	Tongue and Groove
Suitable Uses	Residential and some commercial
	exterior cladding, soffit, interior
	features

# **TECHNICAL SPECIFICATIONS**

Reaction to FireGrid(Flooring)(ColdReaction to FireNois(Walls & Ceilings)Formaldehyde EmissionFormaldehyde EmissionE1AS/NZS 2098.11A

Group 1-S - Critical Flux 8.6kW/m<sup>2</sup> (Compliant) Not Rated

### STRUCTURAL WARRANTY

### 5 Year Commercial 25 Year Residential

For terms and conditions see www.forte.co.nz/warranties

# PACK INFORMATION

Weight per board

l 8.5kg

# SUSTAINABILITY



RESIDENTIAL AND COMMERCIAL CARE AND MAINTENANCE

Forté's Product Specialists have collated our care and maintenance recommendations to ensure your flooring looks like new for years to come. Residential and Commercial projects require different levels of care and maintenance. Visit www.forte.co.nz/ careandmaintenance

# **Structural Warranty**

MILLBOARD ENHANCED GRAIN SB 25 YEAR RESIDENTIAL STRUCTURAL WARRANTY

The Enhanced Grain SB Collection comes with a full 25 year Residential Structural Warranty. For full warranty terms and conditions, please visit <u>www.forte.co.nz/warranties</u>

MILLBOARD ENHANCED GRAIN SB 5 YEAR COMMERCIAL STRUCTURAL WARRANTY

The Enhanced Grain SB Collection comes with a full 5 year Commercial Structural Warranty. For full warranty terms and conditions, please visit <u>www.forte.co.nz/warranties</u>

# Installation

MILLBOARDENHANCED GRAIN SB COLLECTION MUST BE INSTALLED BY A TRAINED PROFESSIONAL

Please ensure that you have read and understood the Installation guidelines before proceeding to install Millboard Enhanced Grain SB Decking. If you have any questions or concerns, please call the Forté technical team on 0508 35 66 77. Failure to adhere to the Forté Installation Guidelines may void your warranty.



# millboard

# MILLBOARD WEATHERED OAK DECKING







Vintage Oak

Driftwood

Embered

Weathered Oak plank by Millboard.

32mm thick, 200mm wide, 3600 length. No specialist tools required, Millboard can be cut and installed in the same way as traditional timber.

# **PRODUCT DETAILS**

Collection	Millboard Weathered Oak
Product Type	Engineered Board
Availability	Stocked
Total Thickness	32mm
Width	200mm
Length	3600mm
Core Composition	Blend of natural minerals bonded
	in a polymer resin, with long fibre
	reinforcement
Surface composition	Resilient Lastane® layer chemically
	melded to the core, with a UV
	stable 2K coating
Surface Texture	Authentic brushed Oak texture
	(moulded from genuine Oak)
Appearance	Prime Grade Oak
Surface	Lastane®
Status	Pre-finished

### INSTALLATION

Installation Method	Durafix hidden screw system (no pre- drilling or countersinking required)
Suitable Substrates	H3.2 treated castellated cavity
	battens
Joint Profile	Tongue and Groove
Suitable Uses	Residential and some commercial
	exterior cladding, soffit, interior
	features

# **TECHNICAL SPECIFICATIONS**

Reaction to FireGrout(Flooring)(CorrReaction to FireNot(Walls & Ceilings)Formaldehyde EmissionFormaldehyde EmissionE1AS/NZS 2098.11Formal Correction

Group 1-S - Critical Flux 8.6kW/m<sup>2</sup> (Compliant) Not Rated

### STRUCTURAL WARRANTY

### 5 Year Commercial 25 Year Residential

For terms and conditions see www.forte.co.nz/warranties

# **PACK INFORMATION**

Weight per board

12.5kg

# SUSTAINABILITY



RESIDENTIAL AND COMMERCIAL CARE AND MAINTENANCE

Forté's Product Specialists have collated our care and maintenance recommendations to ensure your flooring looks like new for years to come. Residential and Commercial projects require different levels of care and maintenance. Visit www.forte.co.nz/ careandmaintenance

# **Structural Warranty**

MILLBOARD WEATHERED OAK 25 YEAR RESIDENTIAL STRUCTURAL WARRANTY

The Weathered Oak Collection comes with a full 25 year Residential Structural Warranty. For full warranty terms and conditions, please visit <u>www.forte.co.nz/warranties</u>

MILLBOARD WEATHERED OAK 5 YEAR COMMERCIAL STRUCTURAL WARRANTY

The Weathered Oak Collection comes with a full 5 year Commercial Structural Warranty. For full warranty terms and conditions, please visit <u>www.forte.co.nz/warranties</u>

# Installation

# MILLBOARD WEATHERED OAK COLLECTION MUST BE INSTALLED BY A TRAINED PROFESSIONAL

Please ensure that you have read and understood the Installation guidelines before proceeding to install Millboard Weathered Oak Decking. If you have any questions or concerns, please call the Forté technical team on 0508 35 66 77. Failure to adhere to the Forté Installation Guidelines may void your warranty.



# millboard Live. Life. Outside.

# MILLBOARD ENHANCED GRAIN FASCIA BOARD

Enhanced Grain Fascia Board by Millboard. 16mm thick, 146mm wide, 3200 length. No specialist tools required, Millboard can be cut and installed in the same way as traditional timber.





### **PRODUCT DETAILS**

Collection	Millboard Enhanced Grain
Product Type	Engineered Board
Availability	Stocked, *Custom
Total Thickness	16mm
Width	146mm
Length	3200mm
Core Composition	Blend of natural minerals bonded
	in a polymer resin, with long fibre
	reinforcement
Surface composition	Resilient Lastane® layer chemically
	melded to the core, with a UV
	stable 2K coating
Surface Texture	Authentic brushed Oak texture
	(moulded from genuine Oak)
Appearance	Prime Grade Oak
Surface	Lastane®
Status	Pre-finished

### INSTALLATION

Installation Method	Durafix hidden screw system (no pre- drilling or countersinking required)
Suitable Substrates	H3.2 treated castellated cavity
	battens
Joint Profile	Tongue and Groove
Suitable Uses	Residential and some commercial
	exterior cladding, soffit, interior
	features

# **TECHNICAL SPECIFICATIONS**

Reaction to FireGr(Flooring)(C.Reaction to FireNo(Walls & Ceilings)Formaldehyde EmissionFormaldehyde EmissionE1AS/NZS 2098.11Formal Control of Contr

Group 1-S - Critical Flux 8.6kW/m<sup>2</sup> (Compliant) Not Rated

### STRUCTURAL WARRANTY

### 5 Year Commercial 25 Year Residential

For terms and conditions see www.forte.co.nz/warranties

# PACK INFORMATION

Weight per board

6.67kg

### SUSTAINABILITY



RESIDENTIAL AND COMMERCIAL CARE AND MAINTENANCE

Forté's Product Specialists have collated our care and maintenance recommendations to ensure your flooring looks like new for years to come. Residential and Commercial projects require different levels of care and maintenance. Visit www.forte.co.nz/ careandmaintenance

# **Structural Warranty**

MILLBOARD ENHANCED GRAIN 25 YEAR RESIDENTIAL STRUCTURAL WARRANTY

The Enhanced Grain Collection comes with a full 25 year Residential Structural Warranty. For full warranty terms and conditions, please visit <u>www.forte.co.nz/warranties</u>

MILLBOARD ENHANCED GRAIN 5 YEAR COMMERCIAL STRUCTURAL WARRANTY

The Enhanced Grain Collection comes with a full 5 year Commercial Structural Warranty. For full warranty terms and conditions, please visit <u>www.forte.co.nz/warranties</u>

# Installation

MILLBOARD ENHANCED GRAIN COLLECTION MUST BE INSTALLED BY A TRAINED PROFESSIONAL

Please ensure that you have read and understood the Installation guidelines before proceeding to install Millboard Enhanced Grain Decking. If you have any questions or concerns, please call the Forté technical team on 0508 35 66 77. Failure to adhere to the Forté Installation Guidelines may void your warranty.



# millboard

# MILLBOARD ENHANCED GRAIN BULLNOSE

Enhanced Grain bullnose by Millboard.

32mm thick, 150mm wide, 3200 length. No specialist tools required, Millboard can be cut and installed in the same way as traditional timber.

# Limed Oak Ashwood\* Golden Oak Coppered Oak Image: Antique Oak Image: Antique Oak Image: Antique Oak Image: Antique Oak



### **PRODUCT DETAILS**

Collection	Millboard Enhanced Grain
Product Type	Engineered Board
Availability	Stocked, *Custom
Total Thickness	32mm
Width	150mm
Length	3200mm
Core Composition	Blend of natural minerals bonded
	in a polymer resin, with long fibre
	reinforcement
Surface composition	Resilient Lastane® layer chemically
	melded to the core, with a UV
	stable 2K coating
Surface Texture	Authentic brushed Oak texture
	(moulded from genuine Oak)
Appearance	Prime Grade Oak
Surface	Lastane®
Status	Pre-finished

### INSTALLATION

Installation Method	Durafix hidden screw system (no pre- drilling or countersinking required)
Suitable Substrates	H3.2 treated castellated cavity
	battens
Joint Profile	Tongue and Groove
Suitable Uses	Residential and some commercial
	exterior cladding, soffit, interior
	features

# **TECHNICAL SPECIFICATIONS**

Reaction to FireGr(Flooring)(C.Reaction to FireNo(Walls & Ceilings)Formaldehyde EmissionFormaldehyde EmissionE1AS/NZS 2098.11Formal Control of Contr

Group 1-S - Critical Flux 8.6kW/m<sup>2</sup> (Compliant) Not Rated

### STRUCTURAL WARRANTY

### 5 Year Commercial 25 Year Residential

For terms and conditions see www.forte.co.nz/warranties

# PACK INFORMATION

Weight per board

8.3kg

# SUSTAINABILITY



RESIDENTIAL AND COMMERCIAL CARE AND MAINTENANCE

Forté's Product Specialists have collated our care and maintenance recommendations to ensure your flooring looks like new for years to come. Residential and Commercial projects require different levels of care and maintenance. Visit www.forte.co.nz/ careandmaintenance

# **Structural Warranty**

MILLBOARD ENHANCED GRAIN 25 YEAR RESIDENTIAL STRUCTURAL WARRANTY

The Enhanced Grain Collection comes with a full 25 year Residential Structural Warranty. For full warranty terms and conditions, please visit <u>www.forte.co.nz/warranties</u>

MILLBOARD ENHANCED GRAIN 5 YEAR COMMERCIAL STRUCTURAL WARRANTY

The Enhanced Grain Collection comes with a full 5 year Commercial Structural Warranty. For full warranty terms and conditions, please visit <u>www.forte.co.nz/warranties</u>

# Installation

MILLBOARD ENHANCED GRAIN COLLECTION MUST BE INSTALLED BY A TRAINED PROFESSIONAL

Please ensure that you have read and understood the Installation guidelines before proceeding to install Millboard Enhanced Grain Decking. If you have any questions or concerns, please call the Forté technical team on 0508 35 66 77. Failure to adhere to the Forté Installation Guidelines may void your warranty.

