



**Armstrong**Flooring™

**Natural Creations™ Longplank**

*Luxury Vinyl Plank*

# Natural Creations™ Longplank


## Luxury Vinyl Plank

Natural Creations™ Longplank offers a curated collection of modern and classic hardwood and oak designs, delivering timeless elegance with a natural timber aesthetic. The traditional plank width, combined with an ultra matte finish (2-3°) creates an incredibly realistic wood look that enhances the ambiance of any room, bring sophistication to a variety of spaces.

Designed for both style and practicality, this luxury vinyl plank flooring comes with a 0.55mm wear layer, ensuring a highly durable and resilient surface that withstands daily wear and tear. Its low maintenance properties make it an ideal solution for busy environments, while its stain resistant finish keeps the flooring looking pristine over time, making it as functional as it is beautiful.


Natural Creations™ Longplank offers the perfect balance of durability, performance, and refined style to elevate a range of residential and commercial interiors including homes, apartments, retail, schools, childcare centres, offices, retirement living, and healthcare spaces.

## Features & Benefits



### ULTRA MATTE

Surface finish creates an authentic timber look



### EASY CLEAN

Low maintenance properties make cleaning easier




### SCRATCH RESISTANT

Protection so your floors look newer for longer




### STAIN RESISTANT

For peace of mind for life's mishaps



### HIGHLY DURABLE

Designed for foot traffic and offers longevity



### WATERPROOF SURFACE

Ideal for spill prone areas such as kitchens\*



### FAMILY FRIENDLY

Ideal for everyday living so you can enjoy your floors



### RESIDENTIAL WARRANTY

25-Year residential warranty<sup>^</sup>  
Commercial warranty on request

\*Subject to proper installation and care and maintenance as set out in the Armstrong Flooring Installation Instruction and Cleaning and Care Instructions.

<sup>^</sup>All warranties are in addition to any rights consumers may have under consumer laws. Terms and conditions apply - for full information in respect to scope of the residential warranty, please see [AU website](#) or [NZ website](#) or contact our Head Office. For the commercial warranty, contact your Armstrong Flooring representative.



Natural Creations™ Longplank

## Barnyard Dusk

The understated rustic charm beautifully complements traditional or modern interiors.





Natural Creations™ Longplank

## Southern Blackbutt

---

The rich, striking grain and warm tones lend to a classic and timeless appeal.



Natural Creations™ Longplank

## Lemon Scented Gum

---

An exceptionally popular colour that pairs seamlessly with any interior style.



Natural Creations™ Longplank

## Rose Gum

---

Perfectly captures the authentic, natural detail of real timber for a luxe feel.



# Natural Creations™ Longplank

## Colour Palette

Plank size: 1500mm x 185mm x 4.5mm



**Blanc Oak | 105**

LRV 40.75



**Sun Bleached Oak | 110**

LRV 41.99



**Century Oak | 135**

LRV 29.85



**Provincial Oak | 140**

LRV 29.58



**Linen Gum | 430**  
Strong colour variation

LRV 45.36



**Limed Oak | 120**

LRV 31.95



**Lemon Scented Gum | 215**  
Strong colour variation

LRV 29.29



**Steamed Oak | 142**

LRV 26.86

Colour swatches and photographic images may vary between digital brochure to real life product and are to be used as a guide only - refer to our [Colour Variation Factsheet](#)  
It is recommended you view the actual product in store - visit our [AU Store Locator](#) or [NZ Store Locator](#)

# Natural Creations™ Longplank

## Colour Palette

Plank size: 1500mm x 185mm x 4.5mm



**Barnyard Dusk** | 145

LRV 23.37



**Barnyard Grey** | 155

LRV 29.24



**Wormy Chestnut** | 450  
Strong colour variation

LRV 20.9



**Southern Blackbutt** | 250  
Strong colour variation

LRV 25.18



**Grand Euro Oak** | 150

LRV 27.04



**Salted Gum** | 320  
Strong colour variation

LRV 24.25



**Cafe Oak** | 175

LRV 16.15



**Rose Gum** | 340  
Strong colour variation

LRV 18.09

Colour swatches and photographic images may vary between digital brochure to real life product and are to be used as a guide only - refer to our [Colour Variation Factsheet](#)  
It is recommended you view the actual product in store - visit our [AU Store Locator](#) or [NZ Store Locator](#)



# Natural Creations™ Longplank

*Colour Palette*

Plank size: 1500mm x 185mm x 4.5mm



**Ancient Hardwood | 470**  
Strong colour variation

LRV 13.28



**Chocolate Oak | 190**  
Strong colour variation

LRV 7.25



Colour swatches and photographic images may vary between digital brochure to real life product and are to be used as a guide only - refer to our [Colour Variation Factsheet](#)  
It is recommended you view the actual product in store - visit our [AU Store Locator](#) or [NZ Store Locator](#)

# Natural Creations™ Longplank

## Room Visualiser


Flooring is the foundation of any space and an element you want to get right. Our Room Visualiser tool will bring your vision to life and help make the decision-making process easier, all from the convenience of your desktop, mobile or tablet device.

Simply upload a photo of your space or select one of our pre-existing room scenes, and then choose the flooring colour you are interested in. Watch the space transform as you immerse yourself in the various flooring colours and design options.

Start designing today by clicking on your relevant country below.

AUSTRALIA

NEW ZEALAND



# Natural Creations™ Longplank

## Technical Data

### Product Classification

Type of floor covering	Luxury Vinyl Plank	
Classification (Use Area)	ISO 10874	Domestic: 23 (Heavy) Commercial: 33 (Heavy) Light Industrial: 42 (General)
Warranty*	Domestic Commercial - available upon request	25 years 15 years

\*All warranties are in addition to any rights consumers may have under Australian and New Zealand consumer laws. Terms and conditions apply - for full information in respect to the scope of the residential warranty, please see [armstrongflooring.au](http://armstrongflooring.au) or [armstrongflooring.co.nz](http://armstrongflooring.co.nz) or contact our Head Office. For the commercial warranty, contact your Armstrong Flooring representative.

### Physical Properties

Surface Treatment	Ultra matte 2-3° excimer laser cured	
Colours (Standard)	18	
Overall thickness (mm)	ISO 24346	4.5
Wear layer (mm)	ISO 24340	0.55
Bevel	Micro	
Dimensions (mm)	ISO 24342	1500 x 185
Core	Fibreglass reinforced	
Planks/carton	8	
m <sup>2</sup> /carton	2.22	
m <sup>2</sup> /pallet	122.1	
kg/carton	20.1	

### Installation

To current AS/NZS 1884 and Armstrong Flooring Installation Instructions – LVT/P

### Sustainability

Global GreenTag	GreenRate Level A	
Best Environmental Practice PVC	Yes	
TVOC Emissions	Compliant with Green Building Council low emitting VOC emission rates	

### Technical Performance

Slip Resistance	AS 4586 Wet Pendulum (Appendix A)	P3
Fire Resistance (Floor)	AS ISO 9239-1 Critical Radiant Flux (CHF Value) Smoke Development Rate	≥ 4.5kW/m <sup>2</sup> ≤ 750%min
Acoustic	ISO 10140-3 & ISO 717-2 Impact sound insulation	Ln,w = 42dB (150mm concrete with 3mm underlay and drop ceiling - 288mm cavity, 50mm glass wool insulation, 12mm gypsum board) Ln,w = 53dB (150mm concrete and drop ceiling - no underlay 288mm cavity, 50mm glass wool insulation, 12mm gypsum board)
	ASTM E989-21 Impact insulation class	IIC = 67 (150mm concrete with 3mm underlay and drop ceiling - 288mm cavity, 50mm glass wool insulation, 12mm gypsum board) IIC = 49 (150mm concrete and drop ceiling - no underlay 288mm cavity, 50mm glass wool insulation, 12mm gypsum board)
Other		
Abrasion	EN 660-2	Group T
Colour fastness	ISO 105-B02, Method 3	Pass

### Accreditation

Manufactured under accredited ISO 9001 quality and ISO 14001 environmental management systems

All specifications are current as at date of publication and may be changed without notice. For current and complete specifications please visit [armstrongflooring.au](http://armstrongflooring.au) or [armstrongflooring.co.nz](http://armstrongflooring.co.nz). All Armstrong Flooring products must be installed in accordance with the relevant Australian and/or New Zealand applicable standards and the Armstrong Flooring Installation Instructions. Variations may occur between samples, photographic images, and batches in terms of colour, shade, pattern or similar.



Learn more

[www.armstrongflooring.au/longplank](http://www.armstrongflooring.au/longplank)



[www.armstrongflooring.co.nz/longplank](http://www.armstrongflooring.co.nz/longplank)



---

# ArmstrongFlooring™

## **Australia**

29-39 Mills Road, Braeside VIC 3195  
1800 632 624  
customerservices@armstrongflooring.au  
www.armstrongflooring.au

## **New Zealand**

39/332 Great North Road, Grey Lynn, Auckland 1021  
0800 449 649  
customerservices@armstrongflooring.co.nz  
www.armstrongflooring.co.nz